

10/581179

Practitioner's Docket No. U 016322-2

AP20 Rec'd PCT/PTO 01 JUN 2006

Optional Customer No. Bar Code



00140

PATENT TRADEMARK OFFICE

CHAPTER II

**TRANSMITTAL LETTER
TO THE UNITED STATES ELECTED OFFICE (EO/US)
(ENTRY INTO U.S. NATIONAL PHASE UNDER CHAPTER II)**

| | | |
|--|--|--|
| INTERNATIONAL APPLICATION NO. PCT/KR2004/003220 | INTERNATIONAL FILING DATE 9 DECEMBER 2004 | PRIORITY DATE CLAIMED 9 DECEMBER 2003 |
| TITLE OF INVENTION APPARATUS AND METHOD FOR INPUTTING CHARACTER AND NUMERALS TO DISPLAY OF A MOBILE COMMUNICATION TERMINAL | | |
| APPLICANT(S) JO, WON-HYUNG | | |

Mail Stop PCT
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

ATTENTION: EO/US

PRELIMINARY AMENDMENT

Please amend the above identified application as follows:

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

- ☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.
37 C.F.R. 1.8(a) 37 C.F.R. 1.10*
- ☐ with sufficient postage as first class mail. ☒ as "Express Mail Post Office to Addressee"
Mailing Label No. **EV 815 584 472 US**
(mandatory)

TRANSMISSION

- ☐ transmitted by facsimile to the Patent and Trademark Office, to (703) 872-9306

Signature

Date: June 1, 2006

GERALDINE MARTI
(type or print name of person certifying)

* Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(f). Consider "Express Mail Post Office to Addressee" (§ 1.10) or facsimile transmission (§ 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.

EXPRESS MAIL LABEL
NO.: EV 815 584 472